

GLOBETECH MANUFACTURING




AERODYNAMIC MUD FLAPS DOMESTIC POLY & RUBBER CUSTOM LOGO MUD FLAPS

G-Force Aerodynamic Flap



G-Force "The Ultimate Mud Flap"



Part Number	Dimensions	Weight
GT-2424GFB	24" x 24"	4.5 lbs each
GT-2430GFB	24" x 30"	6.5 lbs each



Save Fuel

Studies confirm a pair of aerodynamic mudflaps increase fuel efficiency (MPG). Patented air foil design is the most efficient on the market.



in "IDEAL POSITION" to reduce spra.y. Water is channelled downward instead of striking a flat surface and creating a mist.



Our airfoil design keeps mudflaps in a vertical position with little wind resistance. Mudflap stays in position to deflect and block debris.



Optional LED

Optional red or blue LED lights for more visibility. LED can be plugged in and used as stop, tail, turn, or marker light.



alendar year. Low density PE is used for low temperatures of -42 F. Resists cracking or tearing with 2170 PSI Tensile strength.

IDEAL AIRFLOW POSITION



Viscous Flow Around a Stationary Wing Section

Symmetric wing shaped airfoil design for each rib provides lowest drag coefficient optimizing air flow and improving fuel efficiency. Aerodynamic design allows air to pass through reducing movement of mud flaps at higher speeds maintaining their protective function. Vertical and Angled ribs help to dissipate moisture and debris in a safe manner at all weather conditions and speeds. The G-Force is weighted at an optimal 4.5 lbs and will not flex, bend or rotate at higher speeds.

*Patent Pending - Designed by a Wright-Patterson Air Force Base Aeronautical Engineer



Domestic Rubber Chevron Mud Flaps



Part Number Dimensions Weight


GT-2424CD 24" x 24" 6 lbs each *replaces Koneta #062424

GT-2430CD 24" x 30" 7 lbs each *replaces Koneta #062430

GT-2436CD 24" x 36" 8 lbs each *replaces Koneta #062436



The Armor Guard splash guard is made from 100% fiber reinforced rubber. The header is molded thicker to resist tearing through normal use. The top corners can be cut to fit standard 45 degree angle brackets. While the bottom can be cut down when a shorter flap is needed.




100% High Tear Strength
MADE IN USA
Best Flap On The Market!

Standard Rubber Mud Flaps (



5/16" Domestic Standard Rubber Flaps



Customize with Your Logol

Great for Custom Logos 100% High Tear Strength MADE IN USA Globetech uses the finest material available to mold its standard mud flaps. These are the most popular mudflaps for logo use.

This material also meets all MIL-SPEC for Military Contractors.

Our 5/16" Standard splash guards are slightly heavier than our Chevron flaps. The majority of our customers prefer the Standard flap for their Custom logos.

5/16" Standard Rubber

Part Number	Dimensions	Weight
GT-1217S	12" x 17"	3.5 lbs each
GT-1924S	19" x 24"	5.5 lbs each
GT-2418S	24" x 18"	5.5 lbs each
GT-2424S * replaces	24" x 24" Koneta #0424	6.5 lbs each 424

GT-2430S 24" x 30" 7.5 lbs each * replaces Koneta #042430

GT-2436S 24" x 36" 8.5 lbs each * replaces Koneta #042436





3/8" Domestic Xtreme Rubber Mud Flaps



Customize with Your Logo!



Our Xtreme Mud Flap is molded from high tensile strength rubber. Using conveyor belt technology, a wire of nylon sheet is molded into the mud flap for greater durability.

- · Great for dump trucks and off-road use
- · Highest tear strength of any mud flap
- Stiffer flap prevents waving
- · Available with silk-screen logo

3/8" Xtreme Rubber

Part Number	Dimensions	Weight
GT-2424XD	24" x 24"	8 lbs each
	Coneta #03242	
GT-2430XD	24" x 30"	8.5 lbs eac
	Koneta #0324:	
GT-2436XD	24" x 36"	9.5 lbs eac
	Coneta #03243	

GT-2440XD 24" x 40" 10.5 lbs each GT-2442XD 24" x 42" 12 lbs each GT-4224XD 42" x 24" 12 lbs each

Nylon Mesh Reinforced 100% High Tear Strength MADE IN USA

www.gtmanufacturing.com

HD Rubber Mud Flaps ()

1/2" Domestic HD Rubber Mud Flaps



The Heavy-Duty, Anti-Spray Flap is the ultimate flap. The 1/2" thick reinforced rubber gives the flap anti-sail features. Raised knobs on the back for anti-spray.

- 45 Degree angle mount capable
- · 30/36 dual mount capable
- · Hole at bottom of flap for hook up
- Available with silk-screen logo

1/2" Heavy Duty Rubber

Part Number Dimensions Weight

GT-2424HDD 24" x 24" 9.5 lbs each *replaces Koneta #082424

GT-2430HDD 24" x 30" 11 lbs each *replaces Koneta #082430

GT-2436HDD 24" x 36" 12 lbs each *replaces Koneta #082436


Customize with Your Logo!

Anti-Spray Back 100% High Tear Strength MADE IN USA





3/16" Domestic Poly Standard Mud Flaps



Custom Sizes Available

3/16" Poly Standard Mud Flaps Smooth Back

Part Number	Dimensions/Color	Weight
-------------	------------------	--------

2424PSB	24" x 24" Black	3 lbs each
*replaces	Koneta #302424	
2424PSW	24" x 24" White	3 lbs each
*replaces	Koneta #312424	
2430PSB	24" x 30" Black	4 lbs each
*replaces	Koneta #302430	
2430PSW	24" x 30" White	4 lbs each
*replaces	Koneta #312430	
2436PSB	24" x 36" Black	5 lbs each
*replaces	Koneta #302436	
2436PSW	24" x 36" White	5 lbs each
*renlaces	Koneta #312436	

3/16" Poly Standard Color Mud Flaps Smooth Back

TEAL 2430PST

RED 2430PSR BLUE 2430PSBL

YELLOW 2430PSY

SILVER 2430PSS

Custom Sizes Available


Customize with Your Logo!



www.gtmanufacturing.com

1/4" Domestic Poly Plus Anti-Spray Flaps

1/4" Poly Plus Anti-Spray Back




Custom Sizes Available

Part Number	Dimensions/Color	Weight
2424PPSB	24" x 24" Black	3.5 lbs each
*replaces	Koneta #362424	
2424PPSW	24" x 24" White	3.5 lbs each
*replaces	Koneta #372424	
2430PPSB	24" x 30" Black	4.5 lbs each
*replaces	Koneta #362430	
2430PPSW	24" x 30" White	4.5 lbs each
*replaces	Koneta #372430	
2436PPSB	24" x 36" Black	5.5 lbs each
*replaces	Koneta #362436	
2436PPSW	24" x 36" White	5.5 lbs each
*replaces	Koneta #372436	

3/8" Domestic Poly HD Anti-Spray Flaps

3/8" Poly HD Anti-Spray Back



Custom Sizes Available

Part Number	Dimensions/Color	Weight
2424PHDB	24" x 24" Black	5 lbs each
*replaces K	Coneta #382424	
2424PHDW	24" x 24" White	5 lbs each
*replaces K	Coneta #392424	
	24" x 30" Black	6 lbs each
*replaces K	Coneta #382430	
THE PART OF THE PA	24" x 30" White	6 lbs each
	Coneta #392430	
A STATE OF THE PARTY OF THE PAR	24" x 36" Black	7 lbs each
	Coneta #382436	
	24" x 36" White	7 lbs each
	Coneta #392436	



Domestic Tireplast Blend Mud Flaps



Tireplast Profile

Customize with Your Logo!



Tireplast is a combination of recycled rubber (from tires) and plastic. The material is environmentally friendly and allows for custom size specifications. A great replacement for most natural and synthetic rubber, tireplast has low temperature impact toughness, tensile strength, flexibility, and sound deadening capabilities. It is also resistant to many chemicals including alcohol, anti-freeze, diesel fuel, gasoline, grease, hydraulic oil, kerosene, motor oil, and salt water.

- · Thermo plastic rubber blend
- · Anti-curling attributes of a rubber flap
- · Stiff anti-sail features of a poly flap
- · Ribbed back for anti spray
- · Also available in angle cut or rounded corners

1/4" Tireplast Standard

Part Number	Dimensions	Weight
2424TPPSB	24" x 24"	8 lbs each
2430TPPSB	24" x 30"	8.5 lbs each
2436TPPSB	24" x 36"	9.5 lbs each

3/8" Tireplast Heavy Duty

Part Number	Dimensions	Weight
2424TPHDB	24" x 24"	8 lbs each
2430TPHDB	24" x 30"	8.5 lbs each
2436TPHDB	24" x 36"	9.5 lbs each

1/2" Tireplast Super Heavy Duty

Part Number	Dimensions	Weight
2424TPSHDB	24" x 24"	8 lbs each
2430TPSHDB	24" x 30"	8.5 lbs each
2436TPSHDB	24" x 36"	9.5 lbs each

Raised Molded Rubber (

Domestic Raised Molded Logo Flaps



5/16" Standard Rubber

Part Number Dimensions Weight
GT-2424RSM 24" x 24" 6.5 lbs each
GT-2430RSM 24" x 30" 7.5 lbs each
GT-2436RSM 24" x 36" 8.5 lbs each

3/8" Rubber

 Part Number
 Dimensions
 Weight

 GT-2424RGM
 24" x 24"
 8 lbs each

 GT-2430RGM
 24" x 30"
 9 lbs each

 GT-2436RGM
 24" x 36"
 10 lbs each

 GT-2442RGM
 24" x 42"
 11 lbs each

1/2" Heavy Duty Rubber

Part Number Dimensions Weight
GT-2424HDRM 24" x 24" 12 lbs each
GT-2430HDRM 24" x 30" 13 lbs each
GT-2436HDRM 24" x 36" 14 lbs each

200 piece minimum order


Your Custom Logo 100% High Tear Strength MADE IN USA





Silk Screen Logo Mud Flaps

Silk Screen Rubber Logo Mud Flaps



50 piece minimum

SILK-SCREEN LOGOS OFFER:

- Multi-Color logos with great detail!
- Long lasting urethane paint also used on floors and running tracks will NOT WEAR OFF
- Fast turn around (4 weeks)
- NO SET UP CHARGE! (1 color logos only)
- * additional charges for multi-color logos















Your Custom Logo
MADE & PRINTED IN USA
Advertising Made Easy

Hot Stamp Logo Mud Flaps (—



Hot Stamp Poly Logo Mud Flaps



Hot Stamp Printing Also Available on Tireplast Mud Flaps (see page 7)

100 piece minimum

Your Custom Logo MADE & PRINTED IN USA Advertising Made Easy

HOT STAMP LOGOS OFFER:

- Multi-Color logos with great detail!
- · Long lasting foil hot stamp will NOT WEAR OFF
- Fast turn around (4-6 weeks)
- NO SET UP CHARGE! (1 color logos only)
- * additional charges for multi-color logos


















Ordering Custom Logo Mud Flaps

How to Order

- 1. Choose a Mud Flap: Poly, Rubber, Tireplast or Rubber Raised Molded
- 2. Choose a Thickness of Flap
- 3. Choose a Flap Size
- 4. Get Us Your Logo:
- If you have an existing logo, email a vector file or original artwork to logos@gtmfginc.com
- · If you DO NOT have a logo, we can design one for you.
- · How many colors you want your logo to be?
- Once you have decided on what you want on your flap we will create a proof for you.
- * You may also send us a sample flap with your logo and we will waive the setup fee
- 5. What we will need before we can begin production:
- · Signed proof returned via fax or email
- · Purchase order sent via fax or email

Available paint (rubber) and foil (poly & tireplast) colors for imprint.





Raintrapper Rubber Mud Flaps



Raintrapper Mud Flaps MADE IN USA
The Raintrapper flap is manufactured in the
U.S.A. by Globetech Manufacturing. This is
the ultimate anti-spray mud flap for the heavy
duty trucking industry. The Raintrapper mud
flap features the finger-like projections
directing spray downward while the built-in
side ridges prevent lateral spray.

Part Number Dimensions Weight

GT-2430RT 24" x 24" 3.5 lbs each * Replaces Koneta #84502

Midguard Rubber Mud Flaps



Midguard Rubber Mud Flaps

MidGuard Mud Flaps provide unsurpassed protection from flying gravel, splash and road spray.

Part Number Dimensions

GT-443638 44" x 36" x 3/8" * Replaces Koneta #140002

Rubber Side Shields

Side Shields offer ribbed construction to reduce spray from sides of trailers.

Part Number Dimensions

GT-848S 8" x 48"
* Replaces Koneta #074807

Side Shields





Quick Mount Rubber Mud Flaps



Anti-Sail Quick Mount Mud Flaps

Two embedded, all-steel bars resist wind force, even at high speeds. The convenience of quick maintenance combined with the stability of steel reinforcement bars.

Part Number Dimensions Weight

GT-2430M 24" x 30" 10 lbs each * Replaces Koneta #82506

GT-2436M 24" x 36" 11 lbs each * Replaces Koneta #82504

Quick Change Anti-Spray Mud Flaps



All Rubber Quick Change Anti-Spray Mud Flaps

Save time and money with two-step Quick Change Mud Flaps! The Quick Change Anti-Spray mud flap features the easy two-step quick changeability plus f inger-likeprojections directing spray downward while the built-in side ridges prevent lateral spray.

Part Number Dimensions Weight

GT-2424AS 24" x 24" 9 lbs each * Replaces Koneta #84500















72,000 SQ FT Dedicated to Manufacturing and Distribution. Dayton, Ohio

40,000 SQ FT Packaging and Distribution

12,000 SQ FT Mudflap Production

20,000 SQ FT
Brake Chamber Assembly
Brake Hose Assembly
Testing
Administrative

GLOBETECH MANUFACTURING, INC.
DAYTON, OHIO
WWW.GTMANUFACTURING.COM
PH: 937-274-5587 FAX: 937-274-6102